

ACTA METALLURGICA ET MATERIALIA

CONTENTS AND AUTHOR INDEX VOLUME 42 1994

Board of Directors

Professor Gareth Thomas	Professor Veikko Lindroos
Dr William W. Scott Jr	Professor Peter Neumann
Professor Karl A. Gschneidner Jr	Professor J. Th. M. De Hosson
Dr Paul S. Follansbee	Professor David R. F. West

Dr Robert L. Fullman, *Secretary-Treasurer*

Professor Tadeusz B. Massalski, *Chairman*

Editor

Professor Michael F. Ashby, University Engineering Laboratories, University of Cambridge,
Trumpington Street, Cambridge CB2 1PZ, England

Deputy Editor

Dr L. Greer

Assistant to the Editor

Mrs Irene Kightley

Associate Editors

Professor Carlos A. Pampillo (<i>Argentina</i>)	Professor David G. Brandon (<i>Israel</i>)
Professor I. Polmear (<i>Australia</i>)	Dr M. Vittori (<i>Italy</i>)
Professor B. Lux (<i>Austria</i>)	Professor T. Mori (<i>Japan</i>)
Professor L. Delaey (<i>Belgium</i>)	Professor N. J. Kim (<i>Korea</i>)
Professor M. A. Mannheimer (<i>Brazil</i>)	Professor M. J. Yacaman (<i>Mexico</i>)
Professor W. Tyson (<i>Canada</i>)	Professor J. T. M. De Hosson (<i>The Netherlands</i>)
Professor J.-M. Xiao (<i>China</i>)	Professor V. L. Indenbom (<i>Russia</i>)
Professor V. Lindroos (<i>Finland</i>)	Professor F. R. N. Nabarro (<i>South Africa</i>)
Professor L. P. Kubin (<i>France</i>)	Professor M. Elices (<i>Spain</i>)
Professor Reiner Kirchheim (<i>Germany</i>)	Professor Mats Hillert (<i>Sweden</i>)
Professor S. Ranganathan (<i>India</i>)	Professor John P. Hirth (<i>U.S.A.</i>)

Advertising and Subscription Offices: Enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. and from the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.

Publishing Office: Elsevier Science Ltd, Bampfylde Street, Exeter EX1 2AH, England.

ACTA METALLURGICA ET MATERIALIA

CONTENTS OF VOLUME 42

NUMBER 1

Qing Ma and R. W. Balluffi	1	Overview No. 109: Random walk model for self-diffusivities and correlation factors in periodic grain boundaries
R. Trivedi and W. Kurz	15	Overview No. 110: Solidification microstructures: a conceptual approach
S. H. Han and R. Trivedi	25	Primary spacing selection in directionally solidified alloys
O. Blaschko, R. Glas, G. Krexner and P. Weinzierl	43	Stages of surface and pore volume evolution during sintering
C. Hu and T. N. Baker	51	The liquid volume control in the ISM process applied to the Al-Fe system
I. A. Rauf and L. M. Brown	57	<i>In situ</i> study of amorphous to crystalline transition in indium oxide thin films using transmission electron microscopy
D. S. Farquhar, S. L. Phoenix and R. Raj	65	Determination of fracture toughness and bridging tractions from crack-opening displacement measurements in particulate composites of diamond in zinc sulfide
Y.-L. Shen, M. Finot, A. Needleman and S. Suresh	77	Effective elastic response of two-phase composites
B. Cotterell, Shi-Qi He and Yiu-Wing Mai	99	Fatigue of sintered steel
Xing-gang Jiang, Wu-yang Chu and Ci-mei Hsiao	105	Relationship between J_{Ic} and fractal value of fracture surface of ductile materials
F. Povolo and H. O. Mosca	109	Zener relaxation strength in b.c.c. and f.c.c. alloys under torsional and longitudinal excitations
M. G. Zelin, N. A. Krasilnikov, R. Z. Valiev, M. W. Grabski, H. S. Yang and A. K. Mukherjee	119	On the microstructural aspects of the nonhomogeneity of superplastic deformation at the level of grain groups
Yuan Zhexi, Song Shenhua, R. G. Faulkner and Xu Tingdong	127	Effect of cerium on temper embrittlement of P-doped Mn structural steels
M. Militzer, W. P. Sun and J. J. Jonas	133	Modelling the effect of deformation-induced vacancies on segregation and precipitation

K. S. Ravichandran	143	Fracture toughness of two phase WC-Co cermets
J. Llorca	151	A numerical study of the mechanisms of cyclic strain hardening in metal-ceramic composites
C. Biselli and D. G. Morris	163	Microstructure and strength of Cu-Fe <i>in situ</i> composites obtained from prealloyed Cu-Fe powders
G. I. Rosen and D. Shechtman	177	Formation of microstructure of the icosahedral phase in rapidly solidified aluminium-chromium alloys
S. Duval, S. Chambreland, P. Caron and D. Blavette	185	Phase composition and chemical order in the single crystal nickel base superalloy MC2
Jian Sun and Dongliang Lin (T. L. Lin)	195	Theoretical and positron annihilation study of point defects in intermetallic compound Ni ₃ Al
G. Schmitz, K. Hono and P. Haasen	201	High resolution electron microscopy of the early decomposition stage of Al-Li alloys
L. Shaw and R. Abbaschian	213	Toughening MoSi ₂ with niobium metal—effects of size and orientation of ductile laminae
J. E. Benci, D. P. Pope and J. L. Bassani	225	A combined experimental and analytical investigation of creep damage development in copper
M. J. Philippe, F. Wagner, F. E. Mellab, C. Esling and J. Wegria	239	Modelling of texture evolution for materials of hexagonal symmetry—I. Application to zinc alloys
J. H. Chen, C. Yan and J. Sun	251	Further study on the mechanism of cleavage fracture at low temperatures
K. H. Yang and W. K. Choo	263	The variants of the orientation relationship between austenite and cementite in Fe-30wt%Mn-1.0wt%C alloy
Gang Liu, Zhehua Zhang and J. K. Shang	271	Interfacial microstructure and fracture of Al ₂ O ₃ particulate reinforced Al-Cu composite
W. P. Sun and J. J. Jonas	283	Influence of dynamic precipitation on grain boundary sliding during high temperature creep
S. Lartigue Korinek and F. Dupau	293	Grain boundary behavior in superplastic Mg-doped alumina with yttria codoping
M. A. Mulla and V. D. Krstic	303	Mechanical properties of β -SiC pressureless sintered with Al ₂ O ₃ additions
C. H. J. Davies, N. Raghunathan and T. Sheppard	309	Ageing kinetics of a silicon carbide reinforced Al-Zn-Mg-Cu alloy
G. Subhash, Y. J. Lee and G. Ravichandran	319	Plastic deformation of CVD textured tungsten—I. Constitutive response

G. Subhash, Y. J. Lee and
G. Ravichandran

331 Plastic deformation of CVD textured tungsten—II.
Characterization

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 2

- | | | |
|--|-----|--|
| B. N. Cox and D. B. Marshall | 341 | Overview No. 111: Concepts for bridged cracks in fracture and fatigue |
| N. A. Fleck, K. J. Kang and
M. F. Ashby | 365 | Overview No. 112: The cyclic properties of engineering materials |
| R. Goswami and
K. Chattopadhyay | 383 | Microstructural evolution and transformation pathways in the near monotectic Zn rich Zn–Bi alloys during rapid solidification |
| J. Zhang, R. J. Perez and
E. J. Lavernia | 395 | Effect of SiC and graphite particulates on the damping behavior of metal matrix composites |
| W. Guo, S. Martelli and
M. Magini | 411 | Effect of alloying addition on structure and thermal stability of Ti ₄₀ Al ₆₀ prepared by mechanical alloying |
| P. B. Prangnell, D. Özkaya
and W. M. Stobbs | 419 | Discontinuous precipitation in high Li content Al–Li–Zr alloys |
| J. Svoboda, H. Riedel and
H. Zipse | 435 | Equilibrium pore surfaces, sintering stresses and constitutive equations for the intermediate and late stages of sintering—I. Computation of equilibrium surfaces |
| H. Riedel, H. Zipse
and J. Svoboda | 445 | Equilibrium pore surfaces, sintering stresses and constitutive equations for the intermediate and late stages of sintering—II. Diffusional densification and creep |
| F. C. Lovey, V. Torra,
A. Isalgué, D. Roqueta and
M. Sade | 453 | Interaction of single variant martensitic transformation with small γ type precipitates in Cu–Zn–Al |
| Z. X. Guo and B. Derby | 461 | Theoretical model for solid-state consolidation of long-fibre reinforced metal-matrix composites |
| N. A. Fleck, G. M. Muller,
M. F. Ashby and
J. W. Hutchinson | 475 | Strain gradient plasticity: theory and experiment |
| Kuo-Chung Liu, G. Thomas,
A. Caballero, J. S. Moya
and S. de Aza | 489 | Mullite formation in kaolinite– α -alumina |
| Fashang Ma and
Zhen-Bang Kuang | 497 | Stresses, deformations and porosities in standard fracture specimens |
| Z. L. Wu and D. P. Pope | 509 | L1 ₂ Al ₃ Ti-based alloys with Al ₂ Ti precipitates—I. Structure and stability of the precipitates |

Z. L. Wu and D. P. Pope	519	$\text{Li}_2\text{Al}_3\text{Ti}$ -based alloys with Al_2Ti precipitates—II. Deformation behavior of single crystals
M. J. Aziz and W. J. Boettinger	527	On the transition from short-range diffusion-limited to collision-limited growth in alloy solidification
S. Nakashima, K. Takashima and J. Harase	539	Effect of thickness on secondary recrystallization of Fe-3%Si
Z. W. Huang, M. H. Loretto, R. E. Smallman and J. White	549	The mechanism of nucleation and precipitation in 7075-0.7 Li alloy
H. Mizubayashi, S. Odai and S. Okuda	561	Hydrogen Gorsky effect in amorphous $\text{Cu}_{50}\text{Ti}_{50}$
Jong K. Lee and Weimin Tao	569	Coherent phase equilibria: effect of composition-dependent elastic strain
M. Bobeth, W. Pompe, M. Rockstroh and E. Schumann	579	Morphological instability of a planar oxide-alloy interface for inward oxide growth
Daping Yao and J.-K. Shang	589	Frequency dependence of fatigue crack growth in a TiB_2 -SiC composite at elevated temperature

NUMBER 3

iii Editorial Announcement

A. M. Othman, B. F. Dyson, D. R. Hayhurst and J. Lin	597	Continuum damage mechanics modelling of circumferentially notched tension bars undergoing tertiary creep with physically-based constitutive equations
P. G. Marsh and W. W. Gerberich	613	A microscopically-shielded Griffith criterion for cleavage in grain oriented silicon steel
Y. Liu	621	Internal friction associated with dislocation relaxations in virgin martensite—interpretation
M. Ahmed, A. Ali, S. K. Hasnain, F. H. Hashmi and A. Q. Khan	631	Magnetic properties of maraging steel in relation to deformation and structural phase transformations
H. Huang and W. W. Gerberich	639	Quasi-equilibrium modeling of the toughness transition during semibrittle cleavage
S. P. Dhandapani, V. Jayaram and M. K. Surappa	649	Growth and microstructure of Al_2O_3 -SiC-Si(Al) composites prepared by reactive infiltration of silicon carbide preforms

- Shen Huimin, Zhang Zhifang, Yang Yanqing, Rui Limin, Wang Yening and Shen Guangjun 657 The pre-bainitic transformation in Cu-Zn-Al-Mn alloy
- I. M. Robertson 661 Effect of steel metallurgy on its magneto-mechanical behaviour in weak magnetic fields
- Kyung-Tae Park, Enrique J. Lavernia and Farghalli A. Mohamed 667 High-temperature deformation of 6061 Al
- H. K. Kim and J. C. Earthman 679 High temperature deformation and fracture mechanisms in a dendritic Ni₃Al alloy
- L. M. Gonzalez, F. L. Cumbrera, F. Sanchez-Bajo and A. Pajares 689 Measurement of fiber orientation in short-fiber composites
- H. F. Wang, J. C. Nelson, W. W. Gerberich and H. E. Deve 695 Evaluation of *in situ* mechanical properties of composites by using nanoindentation techniques
- K. S. Vecchio, Li-Hsing Yu, and M. A. Meyers 701 Shock synthesis of silicides—I. Experimentation and microstructural evolution
- M. A. Meyers, Li-Hsing Yu and K. S. Vecchio 715 Shock synthesis of silicides—II. Thermodynamics and kinetics
- K. Hilfrich, W. Petry, O. Schärpf and E. Nembach 731 Phase diagram, superlattices and antiphase domains of Fe₃Al_x, $0.75 \leq x \leq 1.3$, investigated by neutron scattering
- K. Hilfrich, W. Kölker, W. Petry, O. Schärpf and E. Nembach 743 The states of order and the phase diagram of Fe_{1-x}Si_x, $0.06 \leq x \leq 0.20$, investigated by neutron scattering
- F. J. Humphreys and M. G. Ardakani 749 The deformation of particle-containing aluminium single crystals
- M. G. Ardakani and F. J. Humphreys 763 The annealing behaviour of deformed particle-containing aluminium single crystals
- V. Gupta, K. Anand and M. Kryska 781 Failure mechanisms of laminated carbon-carbon composites—I. Under uniaxial compression
- K. Anand, V. Gupta and D. Dartford 797 Failure mechanisms of laminated carbon-carbon composites—II. Under shear loads
- P. L. Ratnaparkhi and J. M. Howe 811 Structure and mechanism of bonding at a diffusion-bonded Al/SiC interface
- Y. Wu, H. Liu and E. J. Lavernia 825 Solidification behavior of Al-Si/SiC MMCs, during wedge-mold casting

P. R. Rios	839	Abnormal grain growth in materials containing particles
C. P. Blankenship Jr and E. A. Starke Jr	845	Structure-property relationships in Al-Li-Cu-Mg-Ag-Zr alloy X2095
C. S. Lee and B. J. Duggan	857	A dislocation avalanche theory of shear banding
A. W. Pryce and P. A. Smith	861	Matrix cracking in crossply ceramic matrix composites under quasi-static and cyclic loading
L. Shi and D. O. Northwood	871	Strain-hardening and recovery during the creep of pure polycrystalline magnesium
M. Hölscher, D. Raabe and K. Lücke	879	Relationship between rolling textures and shear textures in f.c.c. and b.c.c. metals
H. Onodera, T. Abe and T. Yokokawa	887	Modeling of α/α_2 phase equilibrium in the Ti-Al system by the cluster variation method
K. T. Venkateswara Rao, G. R. Odette and R. O. Ritchie	893	Ductile-reinforcement toughening in γ -TiAl intermetallic-matrix composites: effects on fracture toughness and fatigue-crack propagation resistance
Jin Kon Kim and Duk Yong Yoon	913	The suppression of chemically induced liquid film migration in Co-Cu at high temperature
L. Méric, G. Cailletaud and M. Gaspérini	921	F.E. calculations of copper bicrystal specimens submitted to tension-compression tests
A. S. Krausz and K. Krausz	937	The deformation kinetics of the stress dependence of plastic deformation
R. Nagarajan and K. Chattopadhyay	947	Intermetallic $\text{Ti}_2\text{Ni}/\text{TiNi}$ nanocomposite by rapid solidification
E. van der Giessen and V. Tvergaard	959	Development of final creep failure in polycrystalline aggregates
K. Eckler, D. M. Herlach and M. J. Aziz	975	Search for a solute-drag effect in dendritic solidification
H. C. Yi, S. W. Guan, W. W. Smeltzer and A. Petric	981	Internal oxidation of Ni-Al and Ni-Al-Si alloys at the dissociation pressure of NiO
H. A. Calderon, P. W. Voorhees, J. L. Murray and G. Kostorz	991	Ostwald ripening in concentrated alloys
H. Duong, M. Beeman and J. Wolfenstine	1001	High temperature creep behavior and substructure in KCl-KBr solid solution alloys
S. Nemat-Nasser and H. Deng	1013	Strain-rate effect on brittle failure in compression

- | | | |
|---|------|---|
| Yunhong Zhou and
T. H. North | 1025 | Numerical model for the effect of grain boundaries on the total amount diffused |
| D. Josell | 1031 | Interfacial free energies from substrate curvature measurements of the creep of multilayer thin films |
| V. Mahadev, K. Mahalingam,
G. L. Liedl and
T. H. Sanders Jr | 1039 | Very early stages of δ' precipitation in a binary Al-11.4 at.% Li alloy |

NUMBER 4

- | | | |
|---|------|---|
| J. W. Cahn and J. E. Taylor | 1045 | Overview No. 113: Surface motion by surface diffusion |
| J. W. Elmer, M. J. Aziz,
L. E. Tanner, P. M. Smith
and M. A. Wall | 1065 | Formation of bands of ultrafine beryllium particles during rapid solidification of Al-Be alloys: modeling and direct observations |
| A. Matsuzaki,
H. K. D. H. Bhadeshia
and H. Harada | 1081 | Stress affected bainitic transformation in a Fe-C-Si-Mn alloy |
| R. Lerf and D. G. Morris | 1091 | Static strain ageing of $L1_2$ Al_3Ti -based alloys |
| D. V. Wilson and P. S. Bate | 1099 | Influences of cell walls and grain boundaries on transient responses of an IF steel to changes in strain path |
| K. S. Ravichandran | 1113 | A simple model of deformation behavior of two phase composites |
| Y.-C. Lu, R. Dieckmann
and S. L. Sass | 1125 | Formation of a new aluminum oxide with the composition AlO_2 by interfacial reaction between Pt and $\alpha-Al_2O_3$ |
| J. Skogsmo and A. Atrens | 1139 | Analytical electron microscopy of grain boundaries in high-strength steels |
| I. Levin, W. D. Kaplan,
D. G. Brandon and
T. Wieder | 1147 | Residual stresses in alumina-SiC nanocomposites |
| X. B. Zhou and
J. Th. M. De Hosson | 1155 | Metal-ceramic interfaces in laser coated aluminium alloys |
| F. Wakai | 1163 | Step model of solution-precipitation creep |
| J. H. van der Merwe
and G. J. Shiflet | 1173 | The role of structural ledges at phase boundaries—I. Interfaces with rectangular atomic nets |
| G. J. Shiflet and
J. H. van der Merwe | 1189 | The role of structural ledges at phase boundaries—II. F.c.c.-b.c.c. interfaces in Nishiyama-Wasserman orientation |
| J. H. van der Merwe and
G. J. Shiflet | 1199 | The role of structural ledges at phase boundaries—III. F.c.c.-b.c.c. interfaces in Kurdjumov-Sachs orientation |

S. Matsumoto, A. Sato and T. Mori	1207	Formation of h.c.p. and f.c.c. twins in an Fe-Mn-Cr-Si-Ni alloy
J. Pan and A. C. F. Cocks	1215	A constitutive model for stage 2 sintering of fine grained materials—I. Grain-boundaries act as perfect sources and sinks for vacancies
J. Pan and A. C. F. Cocks	1223	A constitutive model for stage 2 sintering of fine grained materials—II. Effects of an interface reaction
T. J. Konno and R. Sinclair	1231	Crystallization of Co-sputtered amorphous cobalt-carbon alloys
W. Sinkler and D. E. Luzzi	1249	An electron diffraction investigation of the diffuse ω structure in quenched Ti-3d transition metal alloys
K. Ito, H. Inui, T. Hirano and M. Yamaguchi	1261	Plastic deformation of single and polycrystalline CoSi_2
A. van den Beukel	1273	On the size dependence of the diffusion coefficient in metallic glasses
L. Llanes, J. L. Bassani and C. Laird	1279	Cyclic response of polycrystalline copper—composite-grain model
K. E. Evans, M. A. Nkansah and I. J. Hutchinson	1289	Auxetic foams: modelling negative Poisson's ratios
M. Wall, C. E. Lane and C. A. Hippsley	1295	Fracture criteria for hydrogen and temper embrittlement in 9Cr1Mo steel
S. F. Corbin and D. S. Wilkinson	1311	The influence of particle distribution on the mechanical response of a particulate metal matrix composite
S. F. Corbin and D. S. Wilkinson	1319	Low strain plasticity in a particulate metal matrix composite
S. F. Corbin and D. S. Wilkinson	1329	Influence of matrix strength and damage accumulation on the mechanical response of a particulate metal matrix composite
H. Okuda and K. Osamura	1337	Computer simulation of the kinetics of phase decomposition with the L1_2 type ordering in an Ising lattice system at low temperature
J. Čermák and H. Mehrer	1345	Tracer diffusion of ^{14}C in austenitic Ni-Fe-Cr alloys
H. Kato, T. Koyari, M. Tokizane and S. Miura	1351	Stress-strain behavior and shape memory effect in powder metallurgy TiNi alloys
H. Kato, J. Dutkiewicz and S. Miura	1359	Superelasticity and shape memory effect in Cu-23at.%Al-7at.%Mn alloy single crystals
T. Geipel, K. P. D. Lagerlöf, P. Pirouz and A. H. Heuer	1367	A zonal dislocation mechanism for rhombohedral twinning in sapphire ($\alpha\text{-Al}_2\text{O}_3$)

- | | | |
|--|------|---|
| R. W. Beye and R. Gronsky | 1373 | Novel phases in the oxidation of γ -titanium aluminum |
| E. S. Koba, Yu. V. Milman
and A. P. Rachek | 1383 | Effect of plastic deformation and high pressure working on
the structure and microhardness of metallic glasses |
| S. Long, Z. Zhang and
H. M. Flower | 1389 | Hydrodynamic analysis of liquid infiltration of uni-
directional fibre arrays by squeeze casting |
| Tianyi Cheng and
H. M. Flower | 1399 | High temperature X-ray diffraction investigation of nickel-
rich NiAl and NiAl-TiB ₂ |
| G. Choi, S. Horibe and
Y. Kawabe | 1407 | Cyclic fatigue in silicon nitride ceramics |
| L. Edwards and Y. H. Zhang | 1413 | Investigation of small fatigue cracks—I. Plastic
deformation associated with small fatigue cracks |
| L. Edwards and Y. H. Zhang | 1423 | Investigation of small fatigue cracks—II. A plasticity based
model of small fatigue crack growth |
| Zhirui Wang and
Ruby J. Zhang | 1433 | Microscopic characteristics of fatigue crack propagation in
aluminum alloy based particulate reinforced metal matrix
composites |
| F. Dobeš, K. Kuchařová,
A. Orlová, K. Milička
and J. Čadek | 1447 | Interpretation of steady-state creep rate in mechanically
alloyed Al-C-O alloys |
| L. M. Hsiung and N. S. Stoloff | 1457 | Low-energy dislocation structures in cyclically deformed
Ni ₃ Al single crystals |
| T. Akbay, R. C. Reed and
C. Atkinson | 1469 | Modelling re-austenitisation from ferrite/cementite mixtures
in Fe-C steels |
| E. Schumann and M. Rühle | 1481 | Microstructural observations on the oxidation of γ' -Ni ₃ Al
at high oxygen partial pressure |
| F. Y. Génin, W. W. Mullins
and P. Wynblatt | 1489 | Capillary instabilities in polycrystalline metallic foils:
experimental observations of thermal pitting in nickel |

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 5

- | | | |
|----------------------------------|------|---|
| A. Oehlert and A. Atrens | 1493 | Overview No. 114: Room temperature creep of high
strength steels |
| C. F. Pezzee and
D. C. Dunand | 1509 | The impingement effect of an inert, immobile second phase
on the recrystallization of a matrix |
| J. F. Durodola and B. Derby | 1525 | An analysis of thermal residual stresses in Ti-6-4 alloy
reinforced with SiC and Al ₂ O ₃ fibres |
| H. Xiao and I. Baker | 1535 | Long range order and defect concentrations in NiAl and
CoAl |

- | | | |
|--|------|--|
| C. P. Ling, Y. Estrin and
P. G. McCormick | 1541 | Ramped oscillatory testing: a new technique to examine dynamic strain ageing |
| B. G. Pound | 1551 | The effect of aging on hydrogen trapping in β -titanium alloys |
| R. Jayaram and
M. K. Miller | 1561 | An atom probe study of grain boundary and matrix chemistry in microalloyed NiAl |
| J. F. McCarthy | 1573 | Lattice gas cellular automata method for flow in the interdendritic region |
| M. A. Morris and T. Lipe | 1583 | Microstructural influence of Mn additions on thermoelastic and pseudoelastic properties of Cu-Al-Ni alloys |
| O. T. Midling and Ø. Grong | 1595 | A process model for friction welding of Al-Mg-Si alloys and Al-SiC metal matrix composites—I. HAZ temperature and strain rate distribution |
| O. T. Midling and Ø. Grong | 1611 | A process model for friction welding of Al-Mg-Si alloys and Al-SiC metal matrix composites—II. HAZ microstructure and strength evolution |
| H. C. Lin and S. K. Wu | 1623 | The tensile behavior of a cold-rolled and reverse-transformed equiatomic TiNi alloy |
| C. D. Liu, D. X. You and
M. N. Bassim | 1631 | Cyclic strain hardening in polycrystalline copper |
| V. Yu. Novikov | 1639 | Secondary recrystallization or normal grain growth? |
| M. A. Fortes | 1643 | On the existence of a scaling relation in the evolution of cellular systems |
| Shu-Zu Lu, J. D. Hunt,
P. Gilgien and W. Kurz | 1653 | Cellular and dendritic growth in rapidly solidified Al-Fe and Al-Cu alloys |
| M. Dynna, T. Okada and
G. C. Weatherly | 1661 | The nature of dislocation sources and strain relief in $\text{InAs}_y\text{P}_{1-y}$ films grown on $\langle 100 \rangle$ InP substrates |
| Qing Ma, W. Pompe,
J. D. French and
D. R. Clarke | 1673 | Residual stresses in Al_2O_3 - ZrO_2 composites: a test of stochastic stress models |
| B. R. Lawn, N. P. Padture,
F. Guiberteau and H. Cai | 1683 | A model for microcrack initiation and propagation beneath Hertzian contacts in polycrystalline ceramics |
| A. Korner | 1695 | Cross-slip phenomena in L1_2 long range ordered alloys |
| H. Kato, T. S. Eyre and
B. Ralph | 1703 | Wear mechanism map of nitrided steel |
| S. P. Ringer, W. Yeung,
B. C. Muddle and
I. J. Polmear | 1715 | Precipitate stability in Al-Cu-Mg-Ag alloys aged at high temperatures |

P. Müllner, C. Solenthaler and M. O. Speidel	1727	Second order twinning in austenitic steel
A. Chiba, S. Hanada, S. Watanabe, T. Abe and T. Obana	1733	Relation between ductility and grain boundary character distributions in Ni ₃ Al
M. Mabuchi, K. Higashi and T. G. Langdon	1739	An investigation of the role of a liquid phase in Al-Cu-Mg metal matrix composites exhibiting high strain rate superplasticity
D. Bhattacharjee and J. F. Knott	1747	Ductile fracture in HY100 steel under mixed mode I/mode II loading
Y. Liu, J. Mazumder and K. Shibata	1755	TEM crystal and defect structure study of martensite in laser clad Ni-Al bronze
Y. Liu, M. E. Mochel, J. Mazumder and K. Shibata	1763	TEM study of precipitates in laser clad Ni-Al bronze

NUMBER 6

iii Best Paper Award for 1992

v Editorial Note

V. Randle	1769	Overview No. 115: Grain assemblage in polycrystals
V. Y. Gertsman, K. Tangri and R. Z. Valiev	1785	Overview No. 116: On the grain boundary statistics in metals and alloys susceptible to annealing twinning
R. N. Stevens and F. Guiu	1805	The application of the <i>J</i> integral to problems of crack bridging
J. A. Spittle and S. G. R. Brown	1811	A 3D cellular automaton model of coupled growth in two component systems
D. G. Morris and M. Leboeuf	1817	The role of controlled recrystallization treatments on ductility of Fe ₃ Al alloys
Xie Zhaoyang, Kang Mokuang and Wu Xiaolei	1825	A regular thermodynamic model for interstitial iron- carbon solutions
V. Jayaram, M. De Graef and C. G. Levi	1829	Metastable extension of the fluorite phase field in Y ₂ O ₃ -ZrO ₂ and its effect on grain growth
T. Küpper and N. Masbaum	1847	Simulation of particle growth and Ostwald ripening via the Cahn-Hilliard equation
T. M. Pollock and A. S. Argon	1859	Directional coarsening in nickel-base single crystals with high volume fractions of coherent precipitates

Madangopal K., S. Banerjee and S. Lele	1875	Thermal arrest memory effect
Young-Hwan Kim, Dongil Kwon and Sunghak Lee	1887	K_{IC} modelling for a critical strain criterion involving the stress triaxiality effect
M. Zhu, M. Qi, A. Q. He, H. X. Sui and W. G. Liu	1893	Transmission electron microscopy on the process of mechanical alloying in Ni-Ti binary systems
M. Jain and T. Christman	1901	Synthesis, processing, and deformation of bulk nanophase Fe-28Al-2Cr intermetallic
F. Cosandey and P. Lu	1913	Morphology and interfacial structures of α -Al ₂ O ₃ fibers grown in Pd by internal oxidation
C. P. Luo, U. Dahmen and K. H. Westmacott	1923	Morphology and crystallography of Cr precipitates in a Cu-0.33 wt% Cr alloy
Z. C. Xia and J. W. Hutchinson	1933	Matrix cracking of cross-ply ceramic composites
T. W. Jang and D. Y. Yoon	1947	Grain boundary migration and recrystallization in Ni induced by C diffusion
Lie Zhao and I. Baker	1953	The effect of grain size and Fe:Co ratio on the room temperature yielding of FeCo
D. Udler and D. N. Seidman	1959	Solute-atom segregation at (002) twist boundaries in dilute Ni-Pt alloys: structural/chemical relations
S. Thuillier and E. F. Rauch	1973	Development of microbands in mild steel during cross loading
D. W. Donovan, G. R. Barsch, R. N. Pangborn and T. R. Finlayson	1985	X-ray study of the martensitic transformation in an indium-thallium alloy
K. Anazawa, Y. Hirotsu and Y. Inoue	1997	Microstructural change in the course of decomposition of an amorphous Pd ₈₂ Si ₁₈ alloy
Y. G. Li and M. H. Loretto	2009	Microstructure evolution of Ti-48Al-xNb γ intermetallics
O. Paris, P. Fratzl, F. Langmayr, G. Vogl and H. G. Haubold	2019	Internal oxidation of Cu-Fe—I. Small angle X-ray scattering study of oxide precipitation
P. Fratzl and O. Paris	2027	Internal oxidation of Cu-Fe—II. The morphology of oxide inclusions from the minimization of elastic misfit energy
X. D. Zhang, T. A. Dean and M. H. Loretto	2035	Phase transformation and structural morphologies of Ti-50Al-2Nb-2Mn during the heat treatment
D. Tromans	2043	On surface energy and the hydrogen embrittlement of iron and steels

- | | | |
|---|------|--|
| J. D. Embury and J. P. Hirth | 2051 | On dislocation storage and the mechanical response of fine scale microstructures |
| A. Martín-Meizoso,
I. Ocaña-Arizcorreta,
J. Gil-Sevillano and
M. Fuentes-Pérez | 2057 | Modelling cleavage fracture of bainitic steels |
| X. Wu, J. W. Holmes
and A. K. Ghosh | 2069 | Creep and fracture in model niobium-alumina laminates under shear loading |
| H. D. Chandler | 2083 | Effect of unloading time on interrupted creep in copper |
| J. F. Groves, D. M. Elzey
and H. N. G. Wadley | 2089 | Fiber fracture during the consolidation of metal matrix composites |
| H. Mizubayashi, M. Kaida,
S. Otsuka and S. Okuda | 2099 | Effects of annealing and hydrogen charging on the elastic property and the specific volume of amorphous $\text{Cu}_{50}\text{Zr}_{50}$ |
| M. E. Thompson, C. S. Su
and P. W. Voorhees | 2107 | The equilibrium shape of a misfitting precipitate |
| B. Cheong and D. E. Laughlin | 2123 | Thermodynamic consideration of the tetragonal lattice distortion of the L1_0 ordered phase |
| Yiwen Mou and
H. I. Aaronson | 2133 | O-lattice modeling of ledged, partially coherent b.c.c.:h.c.p. boundaries |
| Yiwen Mou and
H. I. Aaronson | 2145 | The role of unrotated lines in O-lattice modeling, with applications to flat b.c.c.:h.c.p. interfaces |
| Yiwen Mou and
H. I. Aaronson | 2159 | Interphase boundary structures associated with the β to ζ_m massive transformation in a Ag-26 at.% Al alloy |
| Y. Zhou and K. W. Neale | 2175 | Influence of f.c.c. rolling textures on biaxial sheet stretching |

NUMBER 7

- | | | |
|--|------|--|
| A. C. F. Cocks | 2191 | Overview No. 117: The structure of constitutive laws for the sintering of fine grained materials |
| P. Müllner, C. Solenthaler,
P. J. Uggowitzer and
M. O. Speidel | 2211 | Brittle fracture in austenitic steel |
| M. P. F. Sutcliffe and
N. A. Fleck | 2219 | Microbuckle propagation in carbon fibre-epoxy composites |
| Ch.-A. Gandin and
M. Rappaz | 2233 | A coupled finite element-cellular automaton model for the prediction of dendritic grain structures in solidification processes |
| Yong-mei Liu,
H. N. G. Wadley and
J. M. Duva | 2247 | Densification of porous materials by power-law creep |

- | | | |
|--|------|---|
| K. L. Alderson,
A. P. Pickles, P. J. Neale
and K. E. Evans | 2261 | Auxetic polyethylene: the effect of a negative Poisson's ratio on hardness |
| J. del Río, F. Plazaola and
N. de Diego | 2267 | The influence of Li on the nucleation of defects in quenched Al-Li alloys |
| G. M. Dougherty, G. J. Shiflet
and S. J. Poon | 2275 | Synthesis and microstructural evolution of Al-Ni-Fe-Gd metallic glass by mechanical alloying |
| M. L. Kharakterova,
D. G. Eskin and
L. S. Toropova | 2285 | Precipitation hardening in ternary alloys of the Al-Sc-Cu and Al-Sc-Si systems |
| C. Kim, G. Gottstein
and D. S. Grummon | 2291 | Plastic flow and dislocation structures in tantalum carbide: deformation at low and intermediate homologous temperatures |
| K. Lu, R. Lück and
B. Predel | 2303 | The temperature vs time transformation (T-T-T) diagram for a transition from the amorphous to the nanocrystalline state |
| R. V. Ramanujan | 2313 | The transformation between the γ and α phases in binary and ternary γ -based titanium aluminides |
| L. A. Bendersky,
A. Roytburd and
W. J. Boettinger | 2323 | Phase transformations in the (Ti, Al) ₃ Nb section of the Ti-Al-Nb system—I. Microstructural predictions based on a subgroup relation between phases |
| L. A. Bendersky and
W. J. Boettinger | 2337 | Phase transformations in the (Ti, Nb) ₃ Al section of the Ti-Al-Nb system—II. Experimental TEM study of microstructures |
| X. X. Xu, J. E. King
and D. Bhattacharjee | 2353 | Crack deflection during fatigue and monotonic fracture of a SiC whisker reinforced 2009 aluminium alloy |
| M. Rappaz, Ch. Charbon
and R. Sasikumar | 2365 | About the shape of eutectic grains solidifying in a thermal gradient |
| L. Dąbrowski, J. Suwalski,
B. Sidzhimov and
V. Christov | 2375 | Investigations of ordering dynamics in carbon martensite |
| R. Sasikumar and
R. Sreenivasan | 2381 | Two dimensional simulation of dendrite morphology |
| B. Cheong, K. Hono and
D. E. Laughlin | 2387 | Bain strain relaxation during early stage decomposition of a hyper-eutectoid CuBe alloy |
| Yinong Liu and
P. G. McCormick | 2401 | Thermodynamic analysis of the martensitic transformation in NiTi—I. Effect of heat treatment on transformation behaviour |
| P. G. McCormick and
Yinong Liu | 2407 | Thermodynamic analysis of the martensitic transformation in NiTi—II. Effect of transformation cycling |

G. Bao and R. M. McMeeking	2415	Fatigue crack growth in fiber-reinforced metal-matrix composites
R. A. Vandermeer and D. Juul Jensen	2427	Modeling microstructural evolution of multiple texture components during recrystallization
T. G. Langdon	2437	A unified approach to grain boundary sliding in creep and superplasticity
F. Cardellini, G. Mazzone, A. Montone and M. Vittori Antisari	2445	Solid state reactions between Ni and Al powders induced by plastic deformation
A. Molinari and L. S. Tóth	2453	Tuning a self consistent viscoplastic model by finite element results—I. Modeling
L. S. Tóth and A. Molinari	2459	Tuning a self consistent viscoplastic model by finite element results—II. Application to torsion textures
R. Z. Valiev, E. V. Kozlov, Yu. F. Ivanov, J. Lian, A. A. Nazarov and B. Baudelet	2467	Deformation behaviour of ultra-fine-grained copper
L. R. Thompson and R. Raj	2477	<i>In situ</i> stress-strain response of small metal particles embedded in a ceramic matrix
J. N. Wang and T. G. Langdon	2487	An evaluation of the rate-controlling flow process in Harper-Dorn creep
Hideyuki Saitoh, Yoshiaki Iijima and Hiroshi Tanaka	2493	Hydrogen diffusivity in aluminium measured by a glow discharge permeation method
Yang Lin, Fengwu Zhu and Jimei Xiao	2499	A FIM-AP investigation on the ordering process and antiphase domain boundaries in Ni ₃ Fe alloy
F. C. Serbena and S. G. Roberts	2505	The brittle-to-ductile transition in germanium
J. Savoie, R. K. Ray, M. P. Butrón-Guillén and J. J. Jonas	2511	Comparison between simulated and experimental transformation textures in a Nb microalloyed steel
D. Zhao, F. R. Tuler and D. J. Lloyd	2525	Fracture at elevated temperatures in a particle reinforced composite
S. Q. Xiao, A. H. Foitzik, G. Welsch, T. Haubold and H. Gleiter	2535	Nanocrystalline titanium aluminide
G.-X. Wang	2547	Effect of microstructural modification on tensile and fatigue properties of Cu-35 wt% Ni-3.5 wt% Cr alloy
Caibei Zhang, Qiang Kang and Zuhan Lai	2555	High resolution TEM study of δ -hydride and α -Ti/ δ interface structure in highly hydrogenated α -Ti

Editorial Note

iii

- | | | |
|--|------|--|
| A. B. Richelsen and
V. Tvergaard | 2561 | Dilatant plasticity or upper bound estimates for porous ductile solids |
| W. O. Soboyejo,
R. J. Lederich and
S. M. L. Sastry | 2579 | Mechanical behavior of damage tolerant TiB whisker-reinforced <i>in situ</i> titanium matrix composites |
| Y. Yoshitomi, Y. Ushigami,
J. Harase, T. Nakayama,
H. Masui and N. Takahashi | 2593 | Coincidence grain boundary and role of primary recrystallized grain growth on secondary recrystallization texture evolution in Fe-3%Si alloy |
| A. R. Smirnov and
V. A. Moskalenko | 2603 | Stability of the dislocation substructure of α -titanium against deformation temperature variation in the range 4.2-293 K |
| O. A. Kaibyshev,
R. Ya. Lutfullin and
V. K. Berdin | 2609 | The effect of superplasticity on the solid state weldability of the titanium alloy Ti-4.5Al-3Mo-1V |
| V. V. Astanin,
O. A. Kaibyshev and
S. N. Faizova | 2617 | The role of deformation localization in superplastic flow |
| M. Nobuki,
D. Vanderschueren
and M. Nakamura | 2623 | High temperature mechanical properties of vanadium alloyed γ base titanium-aluminides |
| R. T. DeHoff | 2633 | The spherical image concept applied to grain structures |
| Moono Rhee, J. P. Hirth
and H. M. Zbib | 2645 | A superdislocation model for the strengthening of metal matrix composites and the initiation and propagation of shear bands |
| D. B. Marshall, W. L. Morris,
B. N. Cox, J. Graves,
J. R. Porter, D. Kouris
and R. K. Everett | 2657 | Transverse strengths and failure mechanisms in Ti ₃ Al matrix composites |
| D. P. Walls and F. W. Zok | 2675 | Interfacial fatigue in a fiber reinforced metal matrix composite |
| H. Morawiec and M. Gigla | 2683 | Effect of ageing on shape recovery in Cu-Al-Ni alloy with Ti + B additions |
| H. Terrones, J. Fayos and
J. L. Aragón | 2687 | Geometrical and physical properties of hypothetical periodic and aperiodic graphitic structures |
| A. S. Pereira, J. M. Leger
and J. A. H. da Jornada | 2701 | Environment and temperature effects on the phase stability of ZrO ₂ under high pressure |

F. Ellyin and J. Wu	2709	Effect of hydride precipitation on the elastoplastic stress field near a crack tip
V. E. Fradkov, M. E. Glicksman, M. Palmer and K. Rajan	2719	Topological events in two-dimensional grain growth: experiments and simulations
C. B. Carter and Y. K. Rasmussen	2729	Growth of spinel particles on alumina thin films—I. Orientation relationships and shape of the particles
C. B. Carter and Y. K. Rasmussen	2741	Growth of spinel particles on alumina thin films—II. Morphology and crystallography of the interface
Y. Ma and T. G. Langdon	2753	A critical assessment of flow and cavity formation in a superplastic yttria-stabilized zirconia
S. Yang and C. Rey	2763	Shear band post-bifurcation in oriented copper single crystals
R. V. Ramanujan	2775	The coarsening of lamellae in Ti-48Al-2Mn-2Nb
M. Menyhard, Min Yan and V. Vitek	2783	Atomistic vs phenomenological approaches to grain boundary segregation: computer modeling of Cu-Ag alloys
S. A. Kukushkin and T. V. Sakalo	2797	Diffusional coalescence of island films on the real crystal surface in the case of layer-by-layer growth of islands—III. Analysis of the model
T. V. Sakalo and S. A. Kukushkin	2803	Diffusional coalescence of island films on the real crystal surface in the case of layer-by-layer growth of islands—IV. Theory and experiment
C. L. Briant, F. Zaverl and W. T. Carter	2811	The effect of deformation on abnormal grain growth in tungsten ingots
S. J. Howard, Y. C. Tsui and T. W. Clyne	2823	The effect of residual stresses on the debonding of coatings—I. A model for delamination at a bimaterial interface
Y. C. Tsui, S. J. Howard and T. W. Clyne	2837	The effect of residual stresses on the debonding of coatings—II. An experimental study of a thermally sprayed system
Hideki Tonda, Shinji Ando, Kazuki Takashima and Thad Vreeland Jr	2845	Anomalous temperature dependence of the yield stress by $\{11\bar{2}2\}\langle\bar{1}123\rangle$ secondary pyramidal slip in cadmium crystals—I. Experiments
Hideki Tonda, Shinji Ando, Kazuki Takashima and Thad Vreeland Jr	2853	Anomalous temperature dependence of the yield stress by $\{11\bar{2}2\}\langle\bar{1}123\rangle$ secondary pyramidal slip in cadmium crystals—II. Mechanism
M. Köppers, Yu. Mishin and Chr. Herzig	2859	Fast diffusion of cobalt along stationary and moving grain boundaries in niobium

- | | | |
|--|------|--|
| B. P. Bewlay, J. A. Sutliff,
M. R. Jackson and
H. A. Lipsitt | 2869 | Microstructural and crystallographic relationships in directionally solidified Nb-Cr ₂ Nb and Cr-Cr ₂ Nb eutectics |
| R. Nowak and M. Sakai | 2879 | The anisotropy of surface deformation of sapphire: continuous indentation of triangular indenter |
| S. G. R. Brown, T. Williams
and J. A. Spittle | 2893 | A cellular automaton model of the steady-state "free" growth of a non-isothermal dendrite |
| C. S. Pande and
E. Dantsker | 2899 | On a stochastic theory of grain growth—IV |
| K. R. Coffey and
K. Barmak | 2905 | A new model for grain boundary diffusion and nucleation in thin film reactions |

NUMBER 9

- | | | |
|---|------|--|
| Y. G. Li and M. H. Loretto | 2913 | Microstructure and fracture behaviour of Ti-44Al-xM derivatives |
| R. I. Todd | 2921 | Grain boundary tension induced strain recovery following superplastic flow |
| M. Kato and T. Fujii | 2929 | Elastic state and orientation of plate-shaped inclusions |
| G. Shao and P. Tsakirooulos | 2937 | Prediction of phase selection in rapid solidification using time dependent nucleation theory |
| Long-Qing Chen and
J. A. Simmons | 2943 | Microscopic master equation approach to diffusional transformations in inhomogeneous systems—single-site approximation and direct exchange mechanism |
| J. Zhang, Y. Wu and
E. J. Lavernia | 2955 | Kinetics of ceramic particulate penetration into spray atomized metallic droplet at variable penetration depth |
| G. K. Dey, U. D. Kulkarni,
I. S. Batra and S. Banerjee | 2973 | Laser surface alloying of nickel by molybdenum and aluminium—microstructural studies |
| D. B. Zahl, S. Schmauder
and R. M. McMeeking | 2983 | Transverse strength of metal matrix composites reinforced with strongly bonded continuous fibers in regular arrangements |
| J. L. Vallés and D. J. Arrell | 2999 | Monte Carlo simulation of anisotropic coarsening in nickel-base superalloys |
| G. F. Zhou and H. Bakker | 3009 | Atomic disorder and phase transformation in L1 ₂ -structure Ni ₃ Si by ball milling |
| Y. Kagawa, T. Fujita
and A. Okura | 3019 | Temperature dependence of tensile mechanical properties in SiC fiber-reinforced Ti matrix composite |
| D. M. Stump | 3027 | Autocatalysis: the self-induced growth of martensitic phase transformations in ceramics |

- | | | |
|--|------|--|
| D. Duly and Y. Brechet | 3035 | Nucleation mechanism of discontinuous precipitation in Mg-Al alloys and relation with the morphology |
| W. T. Kim and B. Cantor | 3045 | Heterogeneous nucleation of Al ₂ Cu in Al-Cu eutectic liquid droplets embedded in an Al matrix |
| B. E. Cornelissen,
R. H. Dauskardt,
R. O. Ritchie and
G. Thomas | 3055 | Cyclic fatigue behavior and fracture toughness of silicon nitride ceramics sintered with rare-earth oxides |
| M.-Y. He, B. Wu and Z. Suo | 3065 | Notch-sensitivity and shear bands in brittle matrix composites |
| R. A. Vandermeer and
Hsun Hu | 3071 | On the grain growth exponent of pure iron |
| P. Schaaf, A. Krämer,
S. Wiesen and U. Gonser | 3077 | Mössbauer study of iron carbides: mixed carbides M ₇ C ₃ and M ₂₃ C ₆ |
| A. K. Mukhopadhyay,
Q. B. Yang and
S. R. Singh | 3083 | The influence of zirconium on the early stages of aging of a ternary Al-Zn-Mg alloy |
| H. Riedel, V. Kozák and
J. Svoboda | 3093 | Densification and creep in the final stage of sintering |
| J. H. Driver, D. Juul Jensen
and N. Hansen | 3105 | Large strain deformation structures in aluminium crystals with rolling texture orientations |
| W. T. Kim and B. Cantor | 3115 | An adsorption model of the heterogeneous nucleation of solidification |
| Th. Fries, K. Oster
and K. Wandelt | 3129 | <i>In situ</i> scanning tunneling microscopy of three-point bending investigations |
| H. Rouault-Rogez,
M. Dupeux and M. Ignat | 3137 | High temperature tensile creep of CMSX-2 nickel base superalloy single crystals |
| L. Sidjanin, R. E. Smallman
and J. M. Young | 3149 | Electron microstructure and mechanical properties of silicon and aluminium ductile irons |
| Geun-Hong Kim,
Chang-Hwan Chun,
Soo-Geun Lee and
Jai-Young Lee | 3157 | TEM study on the nucleation and growth of hydride in LaNi ₅ alloy |
| J. W. Graydon, S. J. Thorpe
and D. W. Kirk | 3163 | Interpretation of activation energies calculated from non-isothermal transformations of amorphous metals |
| M. Feller-Kniepmeier and
T. Kuttner | 3167 | [011] creep in a single crystal nickel base superalloy at 1033 K |
| G. Vogl and B. Sepiol | 3175 | Elementary diffusion jump of iron atoms in intermetallic phases studied by Mössbauer spectroscopy—I. Fe-Al close to equiatomic stoichiometry |

- | | | |
|---|------|--|
| U. Andrade, M. A. Meyers,
K. S. Vecchio and
A. H. Chokshi | 3183 | Dynamic recrystallization in high-strain, high-strain-rate plastic deformation of copper |
| J. Singh | 3197 | Microstructural evolution of diamond growth during HFCVD |
| R. Gampala, D. M. Elzey
and H. N. G. Wadley | 3209 | Plastic deformation of asperities during consolidation of plasma sprayed metal matrix composite monotape |
| M. E. Kassner, J. Pollard,
E. Evangelista and E. Cerri | 3223 | Restoration mechanisms in large-strain deformation of high purity aluminum at ambient temperature and the determination of the existence of "steady-state" |
| Eon-Sik Lee and S. Ahn | 3231 | Solidification progress and heat transfer analysis of gas-atomized alloy droplets during spray forming |
| D. L. Tullock,
I. E. Reimanis,
A. L. Graham
and J. J. Petrovic | 3245 | Deflection and penetration of cracks at an interface between two dissimilar materials |

NUMBER 10

iii 1994 *Acta Metallurgica* Gold Medal

- | | | |
|---|------|---|
| S. Ho and A. Saigal | 3253 | Three-dimensional modeling of thermal residual stresses and mechanical behavior of cast SiC/Al particulate composites |
| E. P. Busso and
F. A. McClintock | 3263 | Mechanisms of cyclic deformation of NiAl single crystals at high temperatures |
| Huimin Liu,
Roger H. Rangel
and Enrique J. Lavernia | 3277 | Modeling of reactive atomization and deposition processing of Ni ₃ Al |
| Jye-Long Lee | 3291 | Evaluation of the nucleation potential of intragranular acicular ferrite in steel weldments |
| Qing Ma, Lei Carol Liang,
D. R. Clarke and
J. W. Hutchinson | 3299 | Mechanics of the push-out process from <i>in situ</i> measurement of the stress distribution along embedded sapphire fibers |
| V. Vorlicek and
P. E. J. Flewitt | 3309 | Cooling induced segregation of impurity elements to grain boundaries in Fe-3 wt%Ni alloys, 2 $\frac{1}{4}$ wt%Cr-1 wt%Mo steel and submerged arc weld metal |
| J. M. Gregg and
H. K. D. H. Bhadeshia | 3321 | Bainite nucleation from mineral surfaces |
| I. Majid, C. A. Counterman,
P. D. Bristowe and
R. W. Balluffi | 3331 | X-ray diffraction and computer simulation studies of the structure of [001] twist boundaries in Au-Ag alloys |

- S. I. Kardashova, A. Yu. Lozovoi and I. M. Razumovskii 3341 Diffusion coarsening of the lamellar structure in two-phase Ti-47.5 at.% Al intermetallic alloy
- P. Cermelli and M. E. Gurtin 3349 On the kinematics of incoherent phase transitions
- G. Ghosh and G. B. Olson 3361 Kinetics of f.c.c. \rightarrow b.c.c. heterogeneous martensitic nucleation—I. The critical driving force for athermal nucleation
- G. Ghosh and G. B. Olson 3371 Kinetics of f.c.c. \rightarrow b.c.c. heterogeneous martensitic nucleation—II. Thermal activation
- M. Watanabe, Z. Horita, David J. Smith, M. R. McCartney, T. Sano and M. Nemoto 3381 Electron microscopy study of Ni/Ni₃Al diffusion-couple interface—I. Microstructural observation and microchemical analysis
- M. Watanabe, Z. Horita, T. Sano and M. Nemoto 3389 Electron microscopy study of Ni/Ni₃Al diffusion-couple interface—II. Diffusivity measurement
- D. A. Molodov, J. Swiderski, G. Gottstein, W. Lojkowski and L. S. Shvindlerman 3397 Effect of pressure on grain boundary migration in aluminium bicrystals
- B. Michel, O. Kanert and B. Günther 3409 Motion of oxygen in vanadium and niobium studied by nuclear magnetic resonance
- Toru Miyazaki, Toshiyuki Koyama and Minoru Doi 3417 Effect of coherent strain energy on γ/γ' phase equilibria in Ni-Al-Ti alloys
- P. B. Prangnell, T. Downes, W. M. Stobbs and P. J. Withers 3425 The deformation of discontinuously reinforced MMCs—I. The initial yielding behaviour
- P. B. Prangnell, T. Downes, P. J. Withers and W. M. Stobbs 3437 The deformation of discontinuously reinforced MMCs—II. The elastic response
- C. H. Weber, X. Chen, S. J. Connell and F. W. Zok 3443 On the tensile properties of a fiber reinforced titanium matrix composite—I. Unnotched behavior
- S. J. Connell, F. W. Zok, Z. Z. Du and Z. Suo 3451 On the tensile properties of a fiber reinforced titanium matrix composite—II. Influence of notches and holes
- B. N. Cox, W. C. Carter and N. A. Fleck 3463 A binary model of textile composites—I. Formulation
- Zaiqian Hu 3481 Work-hardening behavior of mild steel under cyclic deformation at finite strains
- S. E. Harvey, P. G. Marsh and W. W. Gerberich 3493 Atomic force microscopy and modeling of fatigue crack initiation in metals

Long-Qing Chen	3503	Computer simulation of spinodal decomposition in ternary systems
Patrick M. Smith and M. J. Aziz	3515	Solute trapping in aluminum alloys
T. Takasugi and S. Hanada	3527	The influence of residual hydrogen and moisture-released hydrogen on the embrittlement of $\text{Ni}_3(\text{Al,Ti})$ single crystals
R. G. Jordan, Yan Liu, S. L. Qiu, G. M. Stocks, W. A. Shelton and B. Ginatempo	3535	The origin of short-range order in Ag-Mg alloys
V. Y. Gertsman, M. Hoffmann, H. Gleiter and R. Birringer	3539	The study of grain size dependence of yield stress of copper for a wide grain size range
R. A. Antoniou, L. J. Brown and J. D. Cashion	3545	The unlubricated sliding of Al-Si alloys against steel: Mössbauer spectroscopy and X-ray diffraction of wear debris
D. Hofmann and M. W. Finnis	3555	Theoretical and experimental analysis of near $\Sigma 3$ (211) boundaries in silver
S. M. Allameh, S. A. Dregia and P. G. Shewmon	3569	Structure and energy of (110) twist boundaries in the Ag/Ni system
Z. L. Wu, D. P. Pope and V. Vitek	3577	Dynamic and static strain aging effects in Fe-modified $\text{L1}_2 \text{Al}_3\text{Ti}$

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 11

Editorial Announcement	iii	
Z. Suo	3581	Electromigration-induced dislocation climb and multiplication in conducting lines
P. A. Mulheran	3589	The scaling state in two-dimensional grain growth
P. Kumar, C. L. Martin and S. Brown	3595	Constitutive modeling and characterization of the flow behavior of semi-solid metal alloy slurries—I. The flow response
C. L. Martin, P. Kumar and S. Brown	3603	Constitutive modeling and characterization of the flow behavior of semi-solid metal alloy slurries—II. Structural evolution under shear deformation
M. P. Butrón-Guillén, J. J. Jonas and R. K. Ray	3615	Effect of austenite pancaking on texture formation in a plain carbon and a Nb microalloyed steel

- | | | |
|--|------|---|
| B. J. Spencer and D. I. Meiron | 3629 | Nonlinear evolution of the stress-driven morphological instability in a two-dimensional semi-infinite solid |
| S. B. Biner | 3643 | A numerical analysis of crack growth in microcracking brittle solids |
| K. L. Murty, B. V. Tanikella and J. C. Earthman | 3653 | Effect of grain shape and texture on equi-biaxial creep of stress relieved and recrystallized Zircaloy-4 |
| R. C. Reed and H. K. D. H. Bhadeshia | 3663 | A simple model for multipass steel welds |
| Y. Chakk, S. Berger, B.-Z. Weiss and E. Brook-Levinson | 3679 | Solid state amorphization by mechanical alloying—an atomistic model |
| Qiyue Jiang, E. C. Subbarao and L. E. Cross | 3687 | Grain size dependence of electric fatigue behavior of hot pressed PLZT ferroelectric ceramics |
| C. D. Liu, M. N. Bassim and D. X. You | 3695 | Dislocation structures in fatigued polycrystalline copper |
| Y. Q. Xie | 3705 | Electronic structure and properties of pure iron |
| X. Q. Xu and D. F. Watt | 3717 | Basic role of a hard particle in a metal matrix subjected to tensile loading |
| C. G. Kallingal, T. R. Smith, N. S. Stoloff and K. Rajan | 3731 | Dislocation substructure in NiAl single crystals cyclically deformed at ambient temperature |
| R. Suryanarayanan, S. M. L. Sastry and K. L. Jerina | 3741 | Consolidation of molybdenum disilicide based materials by hot isostatic pressing (HIP): comparison with models |
| R. Suryanarayanan, S. M. L. Sastry and K. L. Jerina | 3751 | Mechanical properties of molybdenum disilicide based materials consolidated by hot isostatic pressing (HIP) |
| K. Wolf, H.-J. Gudladt, H. A. Calderon and G. Kostorz | 3759 | Transition between planar and wavy slip in cyclically deformed short-range ordered alloys |
| S. V. Kamat and J. P. Hirth | 3767 | The elastic stabilization of multiple-height growth ledges during diffusional phase transformations |
| T. A. Parthasarathy, D. B. Marshall and R. J. Kerans | 3773 | Analysis of the effect of interfacial roughness on fiber debonding and sliding in brittle matrix composites |
| A. Pichler and E. Arzt | 3785 | Internal friction in f.c.c. alloys due to solute drag on dislocations—I. A model for the effect of core diffusion |
| A. Pichler, M. Weller and E. Arzt | 3801 | Internal friction in f.c.c. alloys due to solute drag on dislocation—II. Experimental studies on Al-Si alloys |
| C. F. Lau and H. W. Kui | 3811 | On the growth of $\langle 110 \rangle$ twin dendrites in undercooled Ge |

- | | | |
|--|------|---|
| A. Bataille and T. Magnin | 3817 | Surface damage accumulation in low-cycle fatigue: physical analysis and numerical modelling |
| N. Simha and L. Truskinovsky | 3827 | Shear induced transformation toughening in ceramics |
| Guen Choi, Susumu Horibe and Yoshikuni Kawabe | 3837 | Cyclic fatigue crack growth from indentation flaw in silicon nitride: influence of effective stress ratio |
| D. Duly, M. C. Cheynet and Y. Brechet | 3843 | Morphology and chemical nanoanalysis of discontinuous precipitation in Mg-Al alloys—I. Regular growth |
| D. Duly, M. C. Cheynet and Y. Brechet | 3855 | Morphology and chemical nanoanalysis of discontinuous precipitation in Mg-Al alloys—II. Irregular growth |
| L. Allais, M. Bornert, T. Bretheau and D. Caldemaison | 3865 | Experimental characterization of the local strain field in a heterogeneous elastoplastic material |
| F. Y. Génin | 3881 | Determination of the interfacial tension by thermal grooving and zero creep in coaxial wires—theory |
| William D. Hopfe and J. E. Morral | 3887 | Zigzag diffusion paths in multiphase diffusion couples |
| L. J. Ghosn, J. I. Eldridge and P. Kantzos | 3895 | Analytical modeling of the interfacial stress state during pushout testing of SCS-6/Ti-based composites |
| Kazutoshi Shinohara, Kazuhiro Yasuda, Masahiko Yamada and Chiken Kinoshita | 3909 | Universal method for evaluating work-hardening exponent of metals using ultra-microhardness tests |

NUMBER 12

Editorial Announcement iii

- | | | |
|---|------|--|
| Susmit Kumar and Stewart K. Kurtz | 3917 | Simulation of material microstructure using a 3D Voronoi tessellation: calculation of effective thermal expansion coefficient of polycrystalline materials |
| Z. W. Lu, Alex Zunger and A. G. Fox | 3929 | Comparison of experimental and theoretical electronic charge distributions in γ -TiAl |
| S. F. Medina and J. E. Mancilla | 3945 | Static recrystallization of austenite and strain induced precipitation kinetics in titanium microalloyed steels |
| Ch. Charbon, A. Jacot and M. Rappaz | 3953 | 3D stochastic modelling of equiaxed solidification in the presence of grain movement |
| B. N. Cox, M. S. Dadkhah, W. L. Morris and J. G. Flintoff | 3967 | Failure mechanisms of 3D woven composites in tension, compression, and bending |

- | | | |
|---|------|---|
| S. I. Selitser and
J. W. Morris Jr | 3985 | Substructure formation during plastic deformation |
| L. Yang and R. B. McLellan | 3993 | The solubility of hydrogen in Ni ₃ Al |
| D. M. Elzey and
H. N. G. Wadley | 3997 | A fiber fracture model for metal matrix composite mono-tape consolidation |
| S. Jansson, D. J. Dal Bello
and F. A. Leckie | 4015 | Transverse and cyclic thermal loading of the fiber reinforced metal-matrix composite SCS6/Ti-15-3 |
| Jan W. Nowok | 4025 | Analysis of atomic diffusion in liquid metals at melting temperatures in capillary-like media |
| Duan-Jen Wang and
Shinn-Tyan Wu | 4029 | The influence of oxidation on the wettability of aluminum on sapphire |
| Shu-Zu Lu and A. Hellawell | 4035 | An application of fractal geometry to complex microstructures: numerical characterization of graphite in cast irons |
| A. Menaï, H. Amenou, G. Moya and J. Bernardini | 4049 | Characterization of the defects responsible for the precipitation of silver from dilute Pb-Ag solid solutions |
| J. Stoiber, J.-E. Bidaux and
R. Gotthardt | 4059 | The movement of single $\beta_1 \rightarrow \beta'_1$ interfaces in Cu-Zn-Al as studied by a new technique of internal friction measurement |
| A. Benghalem and
D. G. Morris | 4071 | Milling and mechanical alloying of copper and some solution alloys seen as a thermomechanical process |
| Ma Qian, Liu Baicheng and
Li Runqi | 4083 | Thermodynamic considerations of the equilibrium shape of an infinitely long rod |
| Ma Qian, Liu Baicheng and
Li Runqi | 4087 | Thermodynamic considerations of the instability of rod morphologies |
| M. C. Shaw, D. B. Marshall,
B. J. Dalgleish,
M. S. Dadkhah, M. Y. He
and A. G. Evans | 4091 | Fatigue crack growth and stress redistribution at interfaces |
| J. Savoie and J. J. Jonas | 4101 | Simulation of the deformation textures induced by deep drawing in extra low carbon steel sheets |
| Z. L. Xie, Y. Liu and
H. Hänninen | 4117 | Stabilization of retained austenite due to partial martensitic transformations |
| R. Raj and L. R. Thompson | 4135 | Design of the microstructural scale for optimum toughening in metallic composites |
| P. A. Turner and C. N. Tomé | 4143 | A study of residual stresses in Zircaloy-2 with rod texture |
| D. Muscat, R. L. Harris and
R. A. L. Drew | 4155 | The effect of pore size on the infiltration kinetics of aluminum in titanium carbide preforms |

- G. Spanos, R. A. Masumura, 4165 The evolution and growth kinetics of precipitate plates
R. A. Vandermeer and
M. Enomoto growing by the ledge mechanism
- J.-L. Houpert, S. L. Phoenix 4177 Analysis of the single-fiber-composite test to measure the
and Rishi Raj mechanical properties of metal-ceramic interfaces
- K. Milička 4189 Constant structure experiments in high temperature
primary creep of some metallic materials

